	•		
Please type	a plus sign (+) inside this box	\rightarrow	E

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY
PATENT APPLICATION
TRANSMITTAL

Attorney Docket No.			13477	Д,
	First Ir	nventor	Obitz	vi.
	Title	FEEDING	APPARATUS	. MATER

1104	HOMITTAL	Title FEEDING APPARATUSMATERIAL				
(Only for new nonprovision	nal applications under 37 CFR 1.53(b))	Express Mail Label No.				
	TION ELEMENTS	Assistant Commissioner for Patents ADDRESS TO: Box Patent Application Washington, DC 20231				
	cerning utility patent application contents.					
. L. (Submit an original and a	Form (e.g., PTO/SB/17) 7. CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix)					
2. X Applicant claims s See 37 CFR 1.27	small entity status. Unsigned	Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)				
Specification Specification	[Total Pages []	a. Computer Readable Form (CRF)				
 Descriptive title 	of the invention	b. Specification Sequence Listing on:				
	e to Related Applications arding Fed sponsored R & D	i. ☐ CD-ROM or CD-R (2 copies); or				
- Reference to s	equence listing, a table,	ii.□ paper				
or a computer p - Background of	program listing appendix	c. Statements verifying identity of above copies				
- Brief Summary	of the Invention	ACCOMPANYING APPLICATION PARTS				
- Brief Description - Detailed Description	on of the Drawings (if filed)	Assignment Papers (cover sheet & document(s))				
- Claim(s)		37 CFR 3 73(b) Statement Power of				
- Abstract of the	Disclosure	10. (when there is an assignee) Attorney				
4. X Drawing(s) (35 t	J.S.C. 113) [Total Sheets 2]	11. English Translation Document (if applicable)				
5. Oath or Declaration	Insigned Total Pages [2]	12. Information Disclosure Copies of IDS Statement (IDS)/PTO-1449				
a. Newly exec	cuted (original or copy)	13. X Preliminary Amendment Fol Carkulating				
Copy from	a prior application (37 CFR 1.63 (d)) ation/divisional with Box 17 completed)	Return Receipt Postcard (MPEP 503) File S				
	TION OF INVENTOR(S)	14. LX (Should be specifically itemized)				
	tatement attached deleting inventor(s)	15. X Certified Copy of Priority Document(s) (if foreign priority is claimed)				
	the prior application, see 37 CFR	16. Other:				
	a Sheet. See 37 CFR 1.76					
		pply the requisite information below and in a preliminary amendment,				
or in an Application Data Si	neet under 37 CFR 1.76:					
Continuation		' I				
Prior application information	Examiner	Group / Art Unit.				
Box 5b. is considered a part	of the disclosure of the accompanying conti	the prior application, from which an oath or declaration is supplied under inuation or divisional application and is hereby incorporated by reference. vertently omitted from the submitted application parts.				
	18. CORRESPON	DENCE ADDRESS				
X Customer Number or Sar Co	ode Label 000293 prespr Customer No. or Aslack	or Correspondence address below				
Name	DOWELL, Ralph A.					
	DOWELL & DOWELL, P.	.C.				
Address	Suite 309, 1215 Jet	fferson Davis Highway				
City	Arlington	State VA Zip Code 22202				
Country	US T	elephone 703 415 2555 Fax 703 415 25				
Name (Print/Type)	Ralph N. Dowell	Registration No. (Attorney/Agent) 26,868				
Signature	1/W/ 12/c	Date 9/21/2000				

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

IN THE UNITED STATES PATENT In re U.S. Patent Application) of	AND TRADEMARK OFFICE Attn:
) Int'l Filing Date: 9/21/2000	Group Art Unit:
Inventor: Lars Obitz	Examiner:
For: FEEDING APPARATUS FOR) CELLULOSIC MATERIAL)	Attorney Docket: 13477
)	Arlington, Virginia September 21, 2000

Honorable Assistant Commissioner of Patents Washington, D.C. 20231

Sir:

PTO CUSTOMER NO. 000293

PRELIMINARY AMENDMENT FOR PURPOSES OF CALCULATING FILING FEES

Please amend the claims of the above referenced U.S. Patent Application as follows:

Claim 4, delete ", 2 or 3".

Claim 5, delete "any of the claims 1-4," and insert --claim

Claim 6, delete "or 5".

Claim 7, delete "any of the claims 2-6," and insert --claim 2--.

Claim 8, delete "any of the claims 4-7," and insert --claim 4--.

REMARKS

This amendment is being made to remove the multiple dependency of claims 4-8 thereby reducing the filing fees. No new matter has been added.

B . 4.

Respectfully submitted,

Ralph A. Dowell

Registration No. 26,868

DOWELL & DOWELL, P.C. Suite 309 1215 Jefferson Davis Highway Arlington, Virginia 22202 Telephone (703) 415-2555 Feeding apparatus for cellulosic material

The present invention concerns a feeding apparatus for cellulosic material in which a screw feeds the material towards a counterstay for the build-up of a pressuretight material plug.

In treatment of cellulosic material, such as refining in a grinding apparatus, steam is formed, which is separated from the material, retaining its high pressure, to be utilized separately in the process. However, discharge of the material separated from the steam is done at a lower pressure, such as atmospheric pressure. In order to prevent the steam from leaving with the material and to maintain the high pressure of the steam, the material must be fed out through sluice means of any kind. Another way to seal the steam separating portion from the discharge of the material is to allow the material at the discharge to form a pulp plug, which seals the outlet so that the steam will not be entrained in the material when discharged.

In known outlet means of the latter type, the material is provided to fall down into a screw, which is, in one end, provided with drive means and in the opposite end feeds the material towards a throttling opening so that the material plug is formed. Since the driving is provided on the pressure side, the drive means must be sealed by means of pack boxes or the like, which wear out and require maintainance and possibly replacing. The plug is also formed in the end of the relatively long screw, which is opposite to the drive means, wherefore the higher load on this end of the screw makes the screw unstable. This also limits the possibilities to control the forming of the plug depending on the loading conditions.

The main object of the invention is to provide a feeding apparatus in which the drawbacks of the known apparatuses are eliminated.

This object is met by giving the apparatus the features of the following claims.

The present invention will in the following be described in more detail in connection with an example of embodiment shown in the drawings.

Figure 1 shows a side view, partly in cross section, of a feeding apparatus according to the invention.

Figure 2 shows in an enlarged scale a detail of the encircled portion of the apparatus of fig. 1.

The apparatus comprises a connection piece 10 which by a flange 12 is pressuretight connected to the outlet of a steam separator, for example of the type shown in the Swedish patent 9101342-5 (corresponding to US patent 5148998), so that the material, such as pulp, is fed to the connection piece 10 when the steam generated during the refining has been separated in the steam separator and under pressure passed to different uses in the process, such as heating of water. In order to prevent decreasing or vanishing of the pressure of the steam, the pulp must after the steam separating step be fed out in an pressuretight way. For this, the pulp falls down into a sealed house 14, provided under the connection piece 10, in which house 14 a transporter screw 16 with flights 18 provided on a shaft 20 is journalled. The shaft 20 has a conically increasing diameter towards the outlet end of the screw 16, i.e. in the direction of

the feeding of the material transported by the screw 16 to direct the material out towards the inner periphery of thehouse. At the outlet end the shaft 20 is further provided with a flange 22, which has a conically increasing diameter in said feeding direction. Around this flange 22 is a plug pipe 24 provided, which is movably journalled in the house 14 and which at one end is displaceably journalled around the outside of the house 14 by means of a spline connection 26, which is bolted to the house, so that the plug pipe may be displaced towards and away from the flange 22 for forming, together with this, an outlet gap 28 for the material. The displacement is carried out by operating rods 30 connected to the plug pipe 24 and which are operated by suitable drive motors (not shown) to displace the plug pipe in a preferred direction and in this way change the size of the gap 28.

The operating rods 30 are controlled and mounted in openings in a bearing house 42 for the shaft of the screw. In the gap 28 a controllable counter pressure against the feeding of the material occurs in this way, which makes provisions for forming a material plug 40 before the flange 22, which material plug 40 seals the interior of the house 14 from the space 34 outside of the flange 22. On the outside of the flange 22, seen in the direction of the feeding, wings 32 are provided, which are provided to cut up the annular material plug which is fed out of the gap 28 to the space 34, so that the material falls down to the bottom of the space 34. This bottom is open downwards and provided with a connection piece 36 intended for connection to any means for further transport of the material. A distance from and opposite the outlet gap 28 the space 34 is limited by a sealing wall 38, which sealingly surrounds an extension 44 of the shaft 20, which shaft extension 44 is journalled in the

bearing house 42 and is provided to be connected to a drive motor (not shown) for the screw 16. The space 34 has a connection piece 46 at the top, which is provided with an inspection cover 48.

The described apparatus works in the following way: The pulp, which comes from the steam separator (not shown) to the inlet 12, falls down into and is fed by the screw 16 towards the outlet of the house 14, i.e. in the left hand direction in fig. 1, and will be forced by the conically increasing axle 20 towards the inner periphery of the house 14 so that a pulp plug 40 will be formed before the pulp outlet, which is limited by the flange 22 provided on the axle 20. To control the discharge of the pulp plug 40 and thus retaining the pressuretight function of the plug 40, the size of the outlet opening 28 is controlled according to the invention by means of the, at the inner periphery of the house 14, journalled plug pipe 24, of which the motion is controlled by the operating rods 30. The annular pulp plug discharged through the opening 28 will, if it is not falling apart by itself, be beaten apart by wings 32 provided on the outside of the opening 28 and rotating with the shaft 20. The pulp then falls down into the lower portion of the house 34 and is fed out of the outlet 36 for further processing.

As is evident from the shown embodiment, the shaft 20 of the screw 16 is journalled with its shaft extension 44 in the bearing house 42, on the side of the house 14 of the screw 16 where there is atmosperhic pressure. In this way there is not any need for pressuretight pack boxes in the bearing house, which simplifies and reduces the costs for maintainance and operation of the apparatus. By the fact that the bearing 42 of the screw 16 is closest to the end of the screw 16 where the pulp plug 40 is

formed unstability of the screw 16 is prevented to a great extent so that better precision is achieved when setting the size of the outlet opening.

CLAIMS

- 1. A feeding apparatus for cellulosic material comprising a screw (16), which feeds said material towards an counterstay for forming a pressuretight material plug, **characterized in** that said screw (16) comprises a periphery portion (22), which together with throttle means (24) provided around said portion, in the house (14) of the apparatus, forms an opening (28) through which said material leaves said screw while forming a pressuretight material plug (40).
- 2. The apparatus according to claim 1, characterized in that said throttle means comprises a plug pipe (24), which is displacably journalled (26) in said house (14) so that it may be brought towards or away from said periphery portion (22) of said screw (16) to control the size of the opening (28).
- 3. The apparatus according to claim 2, **characterized in** that said displacable bearing of the plug pipe (24) is formed by a spline connection between said plug pipe, at the end of the screw which is opposite said periphery portion (22), and the inner surface of the house (14).
- 4. The apparatus according to claim 1, 2 or 3 **characterized in** that the shaft (20, 44) of the screw (16) is journalled in a bearing house (42) outside of the house (14).
- 5. The apparatus according to any of the claims 1-4, **characterized in** that the bearing house (42) is provided at the outlet end of the screw (16).
- 6. The apparatus according to claim 4 or 5 characterized in that


said bearing house (42) is provided at a distance from the house (14), whereby said distance forms a discharge space (34) for the pulp.


- 7. The apparatus according to any of the claims 2-6, **characterized in** that wings (32) are provided on the shaft (20) of the screw (16) outside of and adjacent to the opening (28) for breaking up of the discharged material plug (40).
- 8. The apparatus according to any of the claims 4-7, **characterized in** that the displacement of the plug pipe (24) is carried out by means of operating rods (30) mounted in the bearing house (42).

ABSTRACT

An apparatus for pressuretight discharge of refiner material, for example cellulosic material by using a screw (16), which feeds the material towards an counterstay whereby an pressure-tight material plug is formed at the outlet of the screw.

The screw (16) is at the outlet end provided with, a portion (22), which together with throttle means (24) journalled around said portion in the house (14) of the apparatus forms an outlet opening (28) through which said material is fed out by the screw while forming a pressuretight material plug (40).





DECLARATION AND POWER OF ATTORNEY	ATTORNEY'S DOCKET NO. 13477
PATENT APPLICATION	

As below named inventor, I hereby declare that:

My residence, post office address and citizenship is as stated below next to my name.

I verily believe I am the original, first and sole or joint inventor (if plural, inventors are named below) of the invention entitled:

FEEDING APPARATUS FOR CELLULOSIC MATERIAL

the specifications and drawings of which

Federal Regulations, § 1.56.

O

one production and accurate			
(check one)	⊠	is attached hereto.	
pro.		was filed on	as

	5-7					was	amended on						
	ND)								(if app	lic	able)	_
	(II)												
	ĒŤ!												
Ι	hereby	state	that	I have	reviewed	and	understoo	i the	contents	ο£	the	above	identified

- specification and drawings, including the claims. I acknowledge the duty to disclose information which is known to be material to the examination of this application to the Patent Office in accordance with Title 37, Code of
- I hereby state that I do not know and do not believe that the invention which is the content of the above specification, claims and drawings was ever known or used in the United States of America before my invention thereof, or the patented or described in any printed publication in any country before my invention thereof or more than one (1) year prior to this application, that the same was not in public use or on sale in the United States of America more than one (1) year prior to this application, that the invention has not been patiented or made the subject of the inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve (12) months prior to this application; and as to applications for patents or inventor's certificate on the invention filed in any country foreign to the United States of America prior to this application by me or my legal representative or assigns.
 - no such applications have been filed, or
 - Such applications have been filed as follows:

EARLIEST FOREIGN	APPLICATION(S), IF AN	Y, FILED WITHIN 12	MONTHS PRIOR TO THE	HIS APPLICATION
COUNTRY CLAIMED	APPLICATION NO.	DATE OF FILING (DAY, MO., YR.)	DATE OF ISSUE (DAY, MO.,YR.)	PRIORITY UNDER 35 USC 119
Sweden	9903448-0	23 Sept. 1999		YES ⊠ NO □
				YES □ NO □

ALL FOREIGN APPLICATIONS, IF ANY, FILED MORE THAN 12 MONTHS PRIOR TO THIS APPLICATION

POWER OF ATTORNEY: As a named inventor, I hereby appoint the attorney(s) and/or agent(s) listed below to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

The undersigned hereby authorizes the U.S. attorney or agent named herein to accept and follow instructions from <u>Benqt Sedvall</u> as to any action to be taken in the Patent and Trademark Office regarding this application without direct communication between the U.S. attorney or agent and the undersigned. In the event of a change in the person's from whom instructions may be taken, the U.S. attorney or agent named herein will be so notified by the undersigned.

RALPH A. DOWELL, REG.NO. 26,868 A. YATES DOWELL, III, REG.NO. 28,070

DIRECT TELEPHONE CALLS AND SEND CORRESPONDENCE TO:

DOWELL & DOWELL, P. C.

PTO CUSTOMER NO. 000293 1215 Jefferson Davis Highway, Suite 309 Arlington, Virginia 22202

	FULL NAME OF	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
	INVENTOR	Obitz	Lars	
201	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
		Vaxholm	Sweden	Sweden
13 25 27	POST OFFICE ADDRESS	POST OFFICE ADDRESS ISterberget 3	CITY Vaxholm	STATE & ZIP CODE/COUNTRY Sweden SE-185 00
	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
111 202 CD	RESIDENCE 4 CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY
	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
203	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful statements may jeopardize the validity of the application or any patent issuing thereon

I any patent issuing thereon.							
SIGNATURE OF INVENTOR 201	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203					
SIGNATURE OF INVENTOR 201	SIGNATORE OF INVENTOR EVE	02010120122 02 20112010 211					
l		l l					
		j					
DATE	DATE	DATE					